

From: [General Board of Pharmacy Subscriber List](#) on behalf of [Board of Pharmacy](#)
To: PHARM-GENERAL@DCALISTS.CA.GOV
Subject: Product Recall - Dr Reddy's Laboratories Inc.
Date: Tuesday, November 17, 2015 9:29:58 AM

Dr Reddy's Laboratories, Inc., is voluntarily recalling the items/lots below due to the possibility of out-of-specification assay for the product prior to its expiration. This recall is to the pharmacy level. Product shipped between June 5, 2014 and May 27, 2015.

Item Description	NDC	Lot	Expiry Date
Amlodipine Besylate and Atorvastatin Calcium Tablets, 2.5mg/10mg, 30ct bottles	43598-323-30	C403575	10/2015
Amlodipine Besylate and Atorvastatin Calcium Tablets, 2.5mg/20mg, 30ct bottles	43598-320-30	C403574	10/2015
Amlodipine Besylate and Atorvastatin Calcium Tablets,, 2.5mg/40mg, 30ct bottles	43598-317-30	C402341	08/2015
AmlodipineBesylate and Atorvastatin Calcium Tablets, 5mg/20mg, 30ct bottles	43598-319-30	C403577	10/2015
Amlodipine Besylate and Atorvastatin Calcium Tablets, 5mg/20mg, 90ct bottles	43598-319-90	C403577	10/2015
Amlodipine Besylate and Atorvastatin Calcium Tablets, 10mg/20mg, 30ct bottles	43598-318-30	C404592	11/2015
Amlodipine Besylate and Atorvastatin Calcium Tablets, 10mg/20mg, 90ct bottles	43598-318-90	C404592	11/2015
Amlodipine Besylate and Atorvastatin Calcium Tablets, 10mg/40mg, 30ct bottles	43598-315-30	C409650	05/2016
Amlodipine Besylate and Atorvastatin Calcium Tablets, 10mg/40mg, 30ct bottles	43598-315-30	C409652	05/2016
Amlodipine Besylate and Atorvastatin Calcium Tablets, 10mg/40mg, 90ct bottles	43598-315-90	C409652	05/2016
Amlodipine Besylate and Atorvastatin Calcium Tablets, 10mg/80mg, 30ct bottles	43598-313-30	C404595	11/2015

Please immediately check your inventory, quarantine, discontinue distribution of the affected product, and contact your wholesaler for directions.

----- To
 unsubscribe from this email list please click on the link below and follow the instructions on the web page.

<https://www.dca.ca.gov/webapps/pharmacy/subscribe.php>