From: Board of Pharmacy
To: PHARM-GENERAL@DCALISTS.CA.GOV
Cc: Pharmacy_Subscriberlist@DCA
Subject: Product Recall - Noven Pharmaceuticals
Date: Thursday, September 01, 2016 3:04:50 PM

Noven Pharmaceuticals is withdrawing the item(s)/lot(s) below due to lots that may no longer meet the release liner specification and or the z-statistic at a date prior to expiry or that may not meet the specification for ritalinic acid at a date prior to expiry. This withdrawal is to the pharmacy level. Affected product started shipping June 08, 2015.

Description	Lot #	Exp Date	NDC	UPC
DAYTRANA PATCH 10MG 30	79031 01/31/2017; 79227 03/31/2017;		68968555203	36896855523
DAYTRANA PATCH 15MG 30	78036 09/30/2016; 78870 01/31/2017; 79228 03/31/2017;		68968555303	36896855553
DAYTRANA PATCH 20MG 30	78658 10/31/2016; 78659 11/30/2016; 78673 12/31/2016; 78871 02/28/2017; 79032 02/28/2017; 79231 02/28/2017; 79229 02/28/2017;		68968555403	36896855543
DAYTRANA PATCH 30MG 30	78038 08/31/2016; 78379 10/31/2016; 78586 10/31/2016; 78686 11/30/2016; 78872 12/31/2016; 78877 12/31/2016 78878 12/31/2016; 78990 12/31/2016; 79033 01/31/2017; 79034 01/31/2017; 79035 01/31/2017; 79232 02/28/2017; 79233 02/28/2017; 79234 02/28/2017;		68968555503	36896855553

Please immediately check your inventory, quarantine, discontinue distribution of the affected product, and contact your wholesaler for directions.