

The Board of Pharmacy has received notice of the following product recall:

Description	Lot # / Exp Date	NDC	UPC
LOSART/HCTZ TB 100/12.5TORR1K@	BEF8E004 01/31/2021; BEF8E005 01/31/2021  BEF8D059 11/30/2020	13668011710	31366811710
LOSART+HCTZ 50/12.5TB TORR 30	BEF7D017 06/30/2020; BEF7D047 11/30/2020  BP02C051 10/31/2019; BP02D005 12/31/2019	13668011630	31366811630
LOSART+HCTZ 50/12.5TB TORR1000	BEF7D049 11/30/2020; BP02C052 10/31/2019  BP02C051 10/31/2019; BEF7E004 12/31/2020  BEF7E003 12/31/2020; BEF7E001 12/31/2020  BEF7D048 11/30/2020; BEF7D030 08/31/2020  4P02E005 01/31/2021; BEF7D022 08/31/2020  BEF7D013 04/30/2020; BEF7D012 04/30/2020  BEF7D008 04/30/2020; BEF7D005 03/31/2020  4P02E006 01/31/2021; BEF7D029 08/31/2020  BEF7E002 12/31/2020	13668011610	31366811610

Description	Lot # / Exp Date	NDC	UPC
LOSARTAN P/HCTZ 100/12.5 TOR90	BEF8D054 10/31/2020; BEF8D055 10/31/2020	13668011790	31366811790
	BEF8D056 10/31/2020; BEF8D057 11/30/2020		
	BEF8D060 11/30/2020; BEF8D061 11/30/2020		
	BEF8D062 11/30/2020; BEF8D063 11/30/2020		
	BX35D024 01/31/2020; BEF8D025 04/30/2020		
	BEF8D010 03/31/2020; BEF8D064 11/30/2020		
	BEF8D009 03/31/2020; BEF8D007 03/31/2020		
	BEF8D012 03/31/2020; BEF8D008 03/31/2020		
	BEF8D024 04/30/2020; BEF8D011 03/31/2020		
	BEF8D013 03/31/2020; BEF8D020 04/30/2020		
BEF8D021 04/30/2020; BEF8D022 04/30/2020			
BEF8D023 04/30/2020			
LOSARTAN P/HCTZ 100/12.5TORR30	BEF8D058 11/30/2020	13668011730	31366811730
LOSARTAN P/HCTZ 100/25 TORR 30	BEF6D038 04/30/2020; BEF6D054 08/31/2020	13668011830	31366811830

Description	Lot # / Exp Date	NDC	UPC
LOSARTAN P/HCTZ 100/25MG 10	BEF6E005 12/31/2020; BEF6D096 11/30/2020	13668011810	N/A
	BP04D018 02/29/2020; BP04D017 02/29/2020		
	BP04D016 02/29/2020; BP04C094 10/31/2019		
	BEF6E006 12/31/2020; 4P04E007 01/31/2021		
	BEF6D097 11/30/2020; BEF6D098 11/30/2020		
	4P04E009 01/31/2021; 4P04E008 01/31/2021		
	BEF6D099 11/30/2020		

<p>LOSARTAN P/HCTZ 100/25MGTOR 90</p>	<p>BEF6E008 12/31/2019; BEF6D084 10/31/2020</p> <p>BEF6D085 10/31/2020; BEF6D086 10/31/2020</p> <p>BEF6D087 10/31/2020; BEF6D100 11/30/2020</p> <p>BEF6D101 11/30/2020; BEF6D102 11/30/2020</p> <p>BEF6E001 12/31/2019; BEF6E002 12/31/2019</p> <p>BEF6E004 12/31/2019; BEF6D079 10/31/2020</p> <p>BEF6E009 12/31/2019; BEF6E010 12/31/2019</p> <p>BEF6E011 12/31/2019; BEF6E012 12/31/2019</p> <p>BP04C092 10/31/2019; BP04D012 12/31/2019</p> <p>BP04D013 12/31/2019; BEF6E003 12/31/2019</p> <p>BEF6D031 04/30/2020; 4P04E003 01/31/2021</p> <p>4P04E004 01/31/2021; 4P04E005 01/31/2021</p> <p>4P04E006 01/31/2021; BEF6D012 03/31/2020</p> <p>BEF6D083 10/31/2020; BEF6D030 04/30/2020</p>	<p>13668011890</p>	<p>31366811890</p>
-------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------	--------------------

Description	Lot # / Exp Date	NDC	UPC
	BEF6D082 10/31/2020; BEF6D047 07/31/2020  BEF6D076 10/31/2020; BEF6D013 03/31/2020  BEF6D077 10/31/2020; BEF6D048 07/31/2020  BEF6D063 09/30/2020; BEF6D061 09/30/2020  BEF6D060 09/30/2020; BEF6D051 07/31/2020  BEF6D050 07/31/2020; BEF6D049 07/31/2020  BEF6D078 10/31/2020; <b>4P04D007</b> <b>07/31/2020</b>		

Description	Lot # / Exp Date	NDC	UPC
LOSARTAN P/HCTZ 50/12.5TORR 90	BEF7D010 04/30/2020; 4P02E002 01/31/2021  4P02E003 01/31/2021; 4P02E004 01/31/2021  BEF7D009 04/30/2020; BP02D007 12/31/2019  BEF7D003 03/31/2020; BP02D012 01/31/2020  BP02D006 12/31/2019; BP02C050 10/31/2019  BEF7E005 01/31/2021; BEF7D046 11/30/2020  BEF7D011 04/30/2020; BEF7D028 08/31/2020  BEF7D027 08/31/2020; BEF7D026 08/31/2020  BEF7D018 06/30/2020; BEF7D045 11/30/2020  <b>BEF7D051 11/30/2020</b>	13668011690	31366811690
LOSARTAN POT TAB 100MG TORR 90	4DU3E014 01/31/2021; 4DU3E016 01/31/2021  4DU3E015 01/31/2021; 4DU3E065 07/31/2021  <b>4DU3E009 12/31/2020</b>	13668011590	31366811590

Description	Lot # / Exp Date	NDC	UPC
LOSARTAN POT TAB 50MG TORR 90	4DU2E024 01/31/2021; 4DU2D027 03/31/2020	13668040990	31366840990
	4O50E008 08/31/2021; 4O50E007 08/31/2021		
	4DU2E029 01/31/2021; 4DU2E028 01/31/2021		
	4DU2E027 01/31/2021; 4DU2E026 01/31/2021		
	4DU2E020 01/31/2021; 4DU2E007 12/31/2020		
	4DU2D005 12/31/2019; 4DU2D029 03/31/2020		
	4DU2D026 03/31/2020; 4DU2D006 12/31/2019		
4DU2E023 01/31/2021; 4DU2D087 10/31/2020			
<b>4DU2E009 12/31/2020</b>	13668011390	31366811390	
LOSARTAN POT TB 25MG TORR 90			4DU1E005 01/31/2021; BDK1C003 07/31/2019
	4DU1E006 01/31/2021; 4DU1E008 01/31/2021		

Description	Lot # / Exp Date	NDC	UPC
LOSARTAN TAB 100MG TORR 1000	4DU3C016 08/31/2019; 4DU3D018 11/30/2020  4DU3E063 06/30/2021; 4DU3E062 06/30/2021  4DU3E019 02/28/2021; 4DU3E017 01/31/2021  4DU3D007 01/31/2019; 4DU3D008 01/31/2019  4DU3C017 08/31/2019; 4DU3C031 09/30/2019  4DU3C015 08/31/2019; 4DU3C012 07/31/2019  <b>4DU3D018 02/28/2021</b>	13668011510	31366811510
LOSARTAN TAB 25MG TORR 1000	4DU1D005 12/31/2019; 4DU1D006 12/31/2019  4DU1D004 12/31/2019; BDK1C002 07/31/2019  4DU1E007 01/31/2021	13668011310	31366811310



<p>LOSARTAN TAB 50MG TORR 1000</p>	<p>4DU2E021 01/31/2021; 4DU2E032 02/28/2021</p> <p>4DU2E025 01/31/2021; 4DU2E033 02/28/2021</p> <p>4DU2E022 01/31/2021; 4DU2E019 01/31/2021</p> <p>4DU2D089 10/31/2020; 4DU2E034 02/28/2021</p> <p>4DU2D086 10/31/2020; 4DU2E042 02/28/2021</p> <p>4DU2D085 10/31/2020; 4DU2D084 10/31/2020</p> <p>4DU2D088 10/31/2020; 4DU2E035 02/28/2021</p> <p>4DU2E036 02/28/2021; 4DU2E037 02/28/2021</p> <p>4DU2E038 02/28/2021; 4DU2E041 02/28/2021</p> <p>4DU2E044 02/28/2021; 4DU2E101 06/30/2021</p> <p>4DU2E102 06/30/2021; 4DU2E103 06/30/2021</p> <p>BDK2E001 12/31/2020; BDK2E012 08/31/2021</p> <p>BDK2E013 08/31/2021; 4DU2D083 10/31/2020</p> <p>4DU2E039 02/28/2021; 4DU2D066 09/30/2020</p>	<p>13668040910</p>	<p>31366840910</p>
----------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------	--------------------

Description	Lot # / Exp Date	NDC	UPC
	4DU2D017 02/29/2020; 4DU2D028 03/31/2020  4DU2D040 08/31/2020; 4DU2D041 08/31/2020  4DU2D042 08/31/2020; 4DU2D045 08/31/2020  4DU2D046 08/31/2020; 4DU2D047 08/31/2020  4DU2D048 08/31/2020; 4DU2D063 09/30/2020  4DU2D025 03/31/2020; 4DU2D065 09/30/2020  4DU2D082 10/31/2020; 4DU2D067 09/30/2020  4DU2D069 09/30/2020; 4DU2D070 10/31/2020  4DU2D072 10/31/2020; 4DU2D073 10/31/2020  4DU2D074 10/31/2020; 4DU2D075 10/31/2020  4DU2D077 10/31/2020; 4DU2D078 10/31/2020  4DU2D079 10/31/2020; 4DU2D080 10/31/2020  4DU2D081 10/31/2020; 4DU2D064 09/30/2020		
LOSARTAN TAB 50MG TORR 30@	4DU1D077 10/31/2020	13668040930	31366840930

Torrent is recalling the above items/lots due to the detection of trace amounts of an unexpected impurity found in an active pharmaceutical ingredient (API) manufactured by Hetero Labs Limited. This recall is to the **consumer** level. Affected product started shipping December 01, 2016.

The Board of Pharmacy strongly encourages pharmacies to immediately review their quality assurance and recall policies and procedures to determine if any corrective action is required.